

Composition:

cleaning agents.

Handling:

USING.

A complex formulation

of surface-active and

Keep this water-based

product from freezing.

Use and store below

100°F/39°C. MIX OR

SHAKE WELL BEFORE

Technical Data Sheet for Wind

XTEND[®] Aqua-Clean 1021 Mold Cleaner

Product Description:

A non-flammable, noncorrosive water-based mold cleaner designed for cleaning residue from molds shell molds after mold repair and sanding.

Use:

Surface cleaner. Not suitable for hard, resinous build-up and release agent removal.

FEATURES:	
Water-based	Non-hazardous
Easily cleans with water	Ready to use

TYPICAL PROPERTIES:

COLOR	Clear to Hazy Liquid
SPECIFIC GRAVITY	0.97-1.11 @ 25°C / 77°F
FLASH POINT >112°C / >232°F	
SHELF LIFE	At Least 1 Year

Instructions for Use:

- Apply liberally to mold at room temperature using a clean cotton cloth to work the Aqua-Clean 1021 over the mold surface. Firm pressure and a circular motion work best. Brushes or other types of cleaning pads can be used if deemed safe and suitable for the mold surface. The mold should be well saturated with Aqua-Clean 1021 prior to wiping off.
- After applying, use a second dry cotton cloth to wipe off the residue and wipe mostly dry. Also, it may be necessary to frequently change to a clean microfiber mop to keep drying the mold.
- After wiping the Aqua-Clean 1021 off the mold, use another clean cloth or mop and a bucket of water (hot water is preferred) to thoroughly water wash the mold. Rinse the cloth out

frequently and/or change out the dry mop as needed. No soap should be used. This step is not necessary if a dry mop alone is deemed to remove the remaining residue.

- 4. A large dry mop should be used after the Aqua-Clean 1021 is dry (or after the water-wash is dry).
- The surface should be tested after cleaning to confirm that a thorough cleaning was completed. A simple wipe with a clean, white cotton cloth or paper shop towel can be used for checking for any remaining residue.

Review SDS before use.

All information given by us about our products is based upon our tests and experience. It is intended for use by persons having technical skill at their own discretion and risk, and we assume no liability in connection with their use. XTEND, MoldWiz, PasteWiz & CleanWiz are registered trademarks of Axel Plastics Research Laboratories. All rights reserved. 16 Nov 2023